

# Klamath Basin Birding Trail

## Checklist of Birds

### California - Oregon

January 29, 2005

## Viewing Wildlife in the Klamath Basin

The Klamath Basin offers excellent, year-round wildlife observation opportunities. Binoculars, a spotting scope, and wildlife field guides will enhance your viewing experience. Staying in your vehicle, when practical, will increase your observation opportunities and reduce disturbance to wildlife.

## Birds

The Klamath Basin is internationally renowned for its great abundance and diversity of birdlife. Of special interest are the large concentrations of waterfowl during spring and fall migratory periods. Peak numbers generally occur in early November and late March or April. Klamath Basin wetlands are among the most prolific waterfowl and marsh bird production areas in the Pacific Northwest. During the spring and summer, large numbers of waterfowl and other water bird young can be viewed. The Klamath Basin is also host to the largest concentration of wintering bald eagles in the contiguous United States. Some years more than 1,000 of these majestic birds are present with most daytime use occurring at Tule Lake and Lower Klamath Refuges.

The following lists contain 274 regularly occurring bird species. Another 77 casual and accidental species are shown on a separate list. The checklists were prepared in accordance with the latest edition of the American Ornithologists' Union Check-list of North American Birds (44<sup>th</sup> Supplement) in cooperation with several Klamath Basin birding authorities.

The sighting likelihood of a bird may vary within a season. The chance of observing each bird on this list represents the highest chance of seeing the species within that season.

### Seasons

Sp - Spring	March - May
S - Summer	June - August
F - Fall	September - November
W - Winter	December - February

### Sighting Likelihood

- a - Very common, often in large numbers; sighting likelihood excellent in appropriate habitat
- c - Commonly observed; sighting likelihood good in appropriate habitat
- u - Uncommonly observed; sighting likelihood fair in appropriate habitat
- r - Rarely observed; unlikely to be seen even in appropriate habitat

\* Birds known to breed in the Klamath Basin

- # Species listed as endangered or threatened  
 + Birds on the Casual and Accidental List that have been observed only 1-3 times the past 25 years  
 ^ Additional data needed to determine if one or both these species are present in the Klamath Basin

LOONS	Sp	S	F	W	
___ Pacific Loon	r	-	r	-	Upper Klamath Lake
___ Common Loon	u	-	u	r	12,13,27,31,37,41,42
GREBES	Sp	S	F	W	
___ Pied-billed Grebe*	c	c	c	c	3,17,33,41,42
___ Horned Grebe	u	-	u	r	15,16,17,13,27,29,37
___ Red-necked Grebe*	u	u	u	-	17
___ Eared Grebe*	c	a	a	u	1,26,31,41,42
___ Western Grebe*	c	a	a	r	1,17,13,27,29,30,37,41,42
___ Clark's Grebe*	c	c	c	r	1,17,27,29,31,41,42
PELICANS	Sp	S	F	W	
___ American White Pelican*	c	c	c	r	13,15,16,17,30,37,41,42,44
CORMORANTS	Sp	S	F	W	
___ Double-crested Cormorant*	c	c	c	r	30,31,33,37,41,42,44
BITTERNs, HERONS, and EGRETS	Sp	S	F	W	
___ American Bittern*	u	u	u	r	17,24,33,41,42
___ Least Bittern*	r	r	-	-	17,24,41
___ Great Blue Heron*	c	c	c	c	10,30,33,39,41,42
___ Great Egret*	c	c	c	u	13,15,16,17,33,41,42
___ Snowy Egret*	u	c	c	-	27,29,33,35,41,42
___ Cattle Egret	r	r	r	-	35,41
___ Green Heron	r	r	r	-	13,24,27,29,31,41
___ Black-crowned Night-Heron*	c	c	c	u	13,24,30,33,41,42
IBIS	Sp	S	F	W	
___ White-faced Ibis*	c	c	c	r	12,33,35,41,42
AMERICAN VULTURES	Sp	S	F	W	
___ Turkey Vulture	u	u	u	-	Widespread

SWANS, GEESE AND DUCKS

	Sp	S	F	W	
___ Greater White-fronted Goose	a	r	a	c	33,35,41,42
___ Emperor Goose	r	-	r	-	35,41,42
___ Snow Goose	a	r	a	c	33,35,41,42
___ Ross' Goose	a	r	a	c	33,41,42
___ Canada Goose*	a	c	a	c	Widespread
___ Brant	r	-	r	r	41,42
___ Tundra Swan	c	r	c	a	33,35,41,42
___ Trumpeter Swan*	r	r	r	r	35,41,42
___ Wood Duck*	u	u	u	r	7,10,14,15,16,17,33,41
___ Gadwall*	c	c	a	u	16,17,33,35,41,42
___ Eurasian Wigeon	u	-	u	u	35,41,42
___ American Wigeon*	a	u	a	c	33,35,41,42
___ Mallard*	a	c	a	c	Widespread
___ Blue-winged Teal*	u	u	u	-	33,35,41,42
___ Cinnamon Teal*	c	a	c	r	3,25,33,41,42
___ Northern Shoveler*	a	c	a	c	16,17,33,41,42
___ Northern Pintail*	a	c	a	c	33,41,42
___ Green-winged Teal*	c	r	a	u	33,39,41,42
___ Canvasback*	c	u	c	u	13,27,31,41,42
___ Redhead*	c	c	c	u	33,35,41,42
___ Ring-necked Duck*	u	u	u	u	3,25,27,29,39,31,41,42
___ Greater Scaup	r	-	r	r	27,31,41,42
___ Lesser Scaup*	c	u	c	c	13,16,17,27,31,41,42
___ Surf Scoter	-	-	r	-	13,27,42
___ White-winged Scoter	-	-	r	r	13,27,42
___ Long-tailed Duck (Oldsquaw)	r	-	r	r	27,31,42
___ Bufflehead*	c	r	c	u	26,27,31,33,41,42
___ Common Goldeneye	c	r	u	c	26,30,31,33,41,42
___ Barrow's Goldeneye	r	r	r	u	1,26,27,29,30,31,41,42
___ Hooded Merganser*	u	r	u	u	1,13,16,27,29,30,31,41,42
___ Common Merganser*	c	r	c	c	1,13,30,31,41,42
___ Red-breasted Merganser	r	-	r	r	1,31,42
___ Ruddy Duck*	a	c	a	c	13,31,33,41,42

OSPREY

	Sp	S	F	W	
___ Osprey*	u	u	u	-	3,10,15,16,17,19,22,37,46

HAWKS, KITES, HARRIERS AND EAGLES	Sp	S	F	W	
___ White-tailed Kite	r	-	r	r	41,42
___ Bald Eagle*#	c	u	u	a	3,16,17,25,30,31,33,34,41, 42
___ Northern Harrier*	c	c	c	c	Widespread
___ Sharp-shinned Hawk*	u	u	u	u	Widespread
___ Cooper's Hawk*	u	u	u	u	Widespread
___ Northern Goshawk*	u	u	u	u	2,9,19,43
___ Red-shouldered Hawk	-	-	-	r	33,41
___ Swainson's Hawk*	r	r	r	-	35,39,41,42,46
___ Red-tailed Hawk*	c	c	c	c	Widespread
___ Ferruginous Hawk*	r	r	r	r	35,39,42,46
___ Rough-legged Hawk	c	-	c	c	Widespread
___ Golden Eagle*	u	u	u	u	Widespread
FALCONS	Sp	S	F	W	
___ American Kestrel*	c	c	c	c	Widespread
___ Merlin	u	-	u	u	8,33,41,42,46
___ Peregrine Falcon	r	r	r	r	2,41,42
___ Prairie Falcon*	u	u	u	u	35,39,41,42,46
PHEASANTS and PARTRIDGES	Sp	S	F	W	
___ Chukar*	r	r	r	r	33
___ Ring-necked Pheasant*	c	c	c	c	33,41,42
GROUSE	Sp	S	F	W	
___ Ruffed Grouse*	u	u	u	u	2,7,9,14,15,16,17
___ Greater Sage-Grouse*	r	r	r	r	44
___ Blue Grouse*	u	u	u	u	3,14,15,16,17,18,39
TURKEYS	Sp	S	F	W	
___ Wild Turkey	u	u	u	u	22
QUAIL	Sp	S	F	W	
___ Mountain Quail*	u	u	u	u	27,22,23,39
___ California Quail*	c	c	c	c	22,30,41,42,43
RAILS AND COOTS	Sp	S	F	W	
___ Yellow Rail*	r	r	-	-	3,8,15,16,17,24
___ Virginia Rail*	u	u	u	r	7,17,24,33,41,42
___ Sora*	u	u	u	r	7,17,33,41,42
___ American Coot*	a	a	a	c	Widespread
CRANES	Sp	S	F	W	
___ Sandhill Crane*	u	u	u	r	3,19,33,41,42,46

PLOVERS

	Sp	S	F	W	
___ Black-bellied Plover	u	r	u	-	33,35,39,41
___ American Golden Plover	r	-	r	-	33,35,41
___ Snowy Plover*	r	r	r	-	41,42
___ Semipalmated Plover	u	r	u	-	41
___ Killdeer*	c	c	c	u	Widespread

STILTS AND AVOCETS

	Sp	S	F	W	
___ Black-necked Stilt*	c	c	u	-	33,41,42
___ American Avocet*	c	c	c	r	33,41,42

SNIPES, SANDPIPERS and OTHER SHOREBIRDS

	Sp	S	F	W	
___ Greater Yellowlegs	c	u	c	r	33,35,41,42
___ Lesser Yellowlegs	u	u	u	-	33,35,41,42
___ Solitary Sandpiper	r	-	r	-	30,33
___ Willet*	c	c	u	-	33,35,39,41,42
___ Spotted Sandpiper*	u	u	u	-	30,31,41,42
___ Whimbrel	r	r	r	-	35,41
___ Long-billed Curlew*	u	u	u	-	3,35,41,42
___ Marbled Godwit	u	-	u	-	35,41,42
___ Ruddy Turnstone	r	-	r	-	33,41,42
___ Red Knot	r	-	-	-	33,41,42
___ Sanderling	r	r	r	-	41
___ Semipalmated Sandpiper	r	-	r	-	33,41
___ Western Sandpiper	a	c	a	-	33,41,42
___ Least Sandpiper	a	c	a	-	33,41,42
___ Baird's Sandpiper	u	r	u	-	33,41,42
___ Pectoral Sandpiper	r	u	u	-	33,41,42
___ Dunlin	c	r	u	r	33,35,41,42
___ Short-billed Dowitcher	u	r	r	-	33,41,42
___ Long-billed Dowitcher	c	c	c	-	33,39,41,42
___ Wilson's Snipe (Common Snipe)*	u	u	u	r	3,7,8,16,33,39,41,42
___ Wilson's Phalarope*	c	c	u	-	3,7,8,33,41,42
___ Red-necked Phalarope	u	u	u	-	3,33,41,42

GULLS AND TERNS					
___ Franklin's Gull*	u	u	r	-	41,42
___ Bonaparte's Gull	u	u	u	-	31,41,42
___ Mew Gull	-	-	-	r	31
___ Ring-billed Gull*	c	a	a	c	13,31,33,41,42
___ California Gull*	c	c	c	u	13,31,33,41,42
___ Herring Gull	u	-	u	u	31,41,42
___ Thayer's Gull	-	-	r	r	31
___ Glaucous-winged Gull	-	-	r	r	31
___ Caspian Tern*	c	c	u	-	30,31,33,37,41,42
___ Common Tern	-	-	r	-	41,42
___ Forster's Tern*	c	c	c	-	15,16,17,13,31,37,41,42
___ Black Tern*	c	c	u	-	3,15,16,17,13,25,37,41,42, 44
DOVES, PIGEONS					
___ Rock Pigeon*	u	u	u	u	Widespread
___ Mourning Dove*	c	c	c	r	Widespread
BARN OWLS					
___ Barn Owl*	c	c	c	c	33,41,42,43
OWLS					
___ Flammulated Owl*	-	r	-	-	9,39,43
___ Western Screech-Owl*	r	r	r	r	3,6
___ Great Horned Owl*	c	c	c	c	3,7,19,33,41,42
___ Northern Pygmy-Owl*	u	u	u	u	3,7,9,14,19,22,39,42,43,46
___ Burrowing Owl*	r	r	r	-	42
___ Spotted Owl*#	r	r	r	r	14,18,19
___ Barred Owl*	r	r	r	r	14,18
___ Great Gray Owl*	r	r	r	r	3,7,8,19,25,29
___ Long-eared Owl*	r	r	r	r	7,8,42
___ Short-eared Owl*	u	u	u	u	33,35,41,42
___ Northern Saw-whet Owl*	r	r	r	r	3,9,14,19,22,39,42,43
NIGHTHAWKS and POORWILLS					
___ Common Nighthawk*	u	c	c	-	7,8,18,19,42,43,44
___ Common Poorwill*	u	u	u	-	6,22,23,39
SWIFTS					
___ Vaux's Swift*	u	u	u	-	9,14,19,22,23
___ White-throated Swift*	u	u	-	-	42
HUMMINGBIRDS					
___ Black-chinned Hummingbird	r	-	-	-	Feeder Reports
___ Anna's Hummingbird	r	r	-	-	27
___ Calliope Hummingbird*	u	u	-	-	3,9,18,13,29,23,43
___ Rufous Hummingbird*	u	u	u	-	9,13,18,23,42,43

<b>KINGFISHERS</b>					
___ Belted Kingfisher*	Sp	S	F	W	
	u	u	u	u	13,15,16,17,30,22,41,42
<b>WOODPECKERS</b>					
___ Lewis' Woodpecker*	Sp	S	F	W	
	r	r	r	-	3,8,13,25,22
___ Acorn Woodpecker	u	u	u	u	22
___ Williamson's Sapsucker*	u	u	u	u	2,3,7,9,14,18,24,25,29
___ Red-naped Sapsucker*	r	r	r	r	3,7,8,9,24,29
___ Red-breasted Sapsucker*	u	u	u	r	Widespread
___ Downy Woodpecker*	u	u	u	u	3,14,19,24,26,29,30
___ Hairy Woodpecker*	u	u	u	u	Widespread
___ White-headed Woodpecker*	u	u	u	r	2,3,7,8,14,24,25,29,23,39
___ American Three-toed Woodpecker*	r	r	r	r	2
___ Black-backed Woodpecker*	r	r	r	r	18,2
___ Northern Flicker*	c	c	c	c	Widespread
___ Pileated Woodpecker*	u	u	u	u	9,14,15,16,17,18,19,24,39
<b>FLYCATCHERS</b>					
___ Olive-sided Flycatcher*	Sp	S	F	W	
	u	u	u	-	2,3,15,16,17,18,29,30,39
___ Western Wood-Pewee*	c	c	u	-	Widespread
___ Willow Flycatcher*	u	u	u	-	7,14
___ Hammond's Flycatcher*	u	u	r	-	9,14,18,19,29,39
___ Gray Flycatcher*	u	u	u	-	3,44
___ Dusky Flycatcher*	u	u	r	-	3,9,14,18,29,23,39
___ Pacific-slope/Cordilleran Flycatcher*^	r	r	r	-	2,3,8,14
___ Black Phoebe	r	-	r	-	42
___ Say's Phoebe*	c	u	c	r	39,42,43,44,46
___ Ash-throated Flycatcher*	u	u	u	-	22,42,43,44
___ Western Kingbird*	c	c	u	-	Widespread
<b>SHRIKES</b>					
___ Loggerhead Shrike*	Sp	S	F	W	
	c	c	c	u	35,41,42,43,44
___ Northern Shrike	r	-	u	u	3,7,11,39,41,42
<b>VIREOS</b>					
___ Cassin's Vireo*	Sp	S	F	W	
	u	u	u	-	3,6,7,14,29,23,39
___ Warbling Vireo*	c	c	u	-	3,7,18,24,29
<b>JAYS, MAGPIES, RAVENS and CROWS</b>					
___ Gray Jay*	Sp	S	F	W	
	r	r	r	r	2,3,9,18,19,29
___ Steller's Jay*	c	c	c	c	Widespread
___ Western Scrub Jay*	u	u	u	u	22,30,42,43,44
___ Pinyon Jay*	r	r	r	r	38,46,44
___ Clark's Nutcracker*	r	r	r	r	2,3,7,18,29,43
___ Black-billed Magpie*	c	c	c	c	Widespread
___ American Crow	r	r	r	-	22,41,42
___ Common Raven*	c	c	c	c	Widespread

LARKS	Sp	S	F	W	
___ Horned Lark*	c	c	c	c	Widespread
MARTINS and SWALLOWS	Sp	S	F	W	
___ Purple Martin	u	u	u	-	18,43
___ Tree Swallow*	c	c	c	-	Widespread
___ Violet-green Swallow*	u	u	u	-	2,7,8,22,43
___ Northern Rough-winged Swallow*	u	u	u	-	Widespread
___ Bank Swallow*	u	u	u	-	13,35,41
___ Cliff Swallow*	a	a	u	-	Widespread
___ Barn Swallow*	c	c	c	-	Widespread
CHICKADEES AND TITMICE	Sp	S	F	W	
___ Black-capped Chickadee*	r	r	r	r	8,29,30
___ Mountain Chickadee*	c	c	c	c	Widespread
___ Chestnut-backed Chickadee*	u	u	u	u	2,9,14,15,16,17,18,29
___ Oak/Juniper Titmouse^	u	u	u	u	22,27,43,44
BUSHTITS	Sp	S	F	W	
___ Bushtit*	u	u	u	r	22,27,30,41,43
NUTHATCHES	Sp	S	F	W	
___ Red-breasted Nuthatch*	c	c	c	u	3,6,18,19,23,24,29,39
___ White-breasted Nuthatch*	u	u	u	u	3,8,22,24,29,39
___ Pygmy Nuthatch*	u	u	u	u	3,7,8,24,25,27,29,43
CREEPERS	Sp	S	F	W	
___ Brown Creeper*	u	u	u	u	Widespread
WRENS	Sp	S	F	W	
___ Rock Wren*	u	u	u	r	23,42,43,44
___ Canyon Wren*	u	u	u	u	13,22,42,43
___ Bewick's Wren*	u	u	u	u	27,30,41,42,43
___ House Wren*	u	u	u	-	Widespread
___ Winter Wren*	u	u	u	u	8,9,26,30,39
___ Marsh Wren*	c	c	c	u	16,17,33,41,42
DIPPERS	Sp	S	F	W	
___ American Dipper*	r	r	r	r	2,9,22
KINGLETS	Sp	S	F	W	
___ Golden-crowned Kinglet*	c	c	c	c	Widespread
___ Ruby-crowned Kinglet*	c	r	c	r	Widespread
GNATCATCHERS	Sp	S	F	W	
___ Blue-gray Gnatcatcher*	u	u	-	-	13,43



THRUSHES, BLUEBIRDS and SOLITAIRES	Sp	S	F	W	
___ Western Bluebird*	u	r	u	r	7,36,43
___ Mountain Bluebird*	u	u	u	u	2,3,7,8,10,18,25,37,42,43,44
___ Townsend's Solitaire*	u	u	c	c	Widespread
___ Swainson's Thrush*	r	r	r	-	14
___ Hermit Thrush*	u	u	u	r	Widespread
___ American Robin*	c	c	c	c	Widespread
___ Varied Thrush	r	-	r	r	3,6,7,27,29
WRENTIT	Sp	S	F	W	
___ Wrentit	r	r	r	r	22
MOCKINGBIRDS and THRASHERS	Sp	S	F	W	
___ Sage Thrasher*	u	u	u	r	36,37,41,43,44,46
STARLING	Sp	S	F	W	
___ European Starling*	c	c	c	c	Widespread
PIPITS	Sp	S	F	W	
___ American Pipit	u	-	u	r	8,33,35,36,42
WAXWINGS	Sp	S	F	W	
___ Bohemian Waxwing	r	-	r	r	
___ Cedar Waxwing*	u	u	u	r	Widespread
WOOD WARBLERS	Sp	S	F	W	
___ Orange-crowned Warbler*	c	c	c	-	Widespread
___ Nashville Warbler*	c	c	u	-	Widespread
___ Yellow Warbler*	u	u	u	-	Widespread
___ Yellow-rumped Warbler*	c	c	c	r	Widespread
___ Black-throated Gray Warbler*	r	r	r	-	27,23,39
___ Townsend Warbler	u	-	u	-	7,14,23,39
___ Hermit Warbler*	c	c	u	-	1,2,14,15,16,17,18,19,39
___ MacGillivray's Warbler*	c	c	u	-	1,6,9,14,15,16,17,18,22,39
___ Common Yellowthroat*	u	u	u	-	17,25,33,41
___ Wilson's Warbler*	c	c	u	-	9,14,17,39,42
___ Yellow-breasted Chat	r	-	-	-	
TANAGERS	Sp	S	F	W	
___ Western Tanager*	c	c	u	-	Widespread
TOWHEES, SPARROWS and BUNTINGS	Sp	S	F	W	
___ Green-tailed Towhee*	u	u	r	-	6,18,13,23,43,44
___ Spotted Towhee*	c	c	c	u	Widespread
___ California Towhee*	u	u	u	u	22,27,30,42,43
___ American Tree Sparrow	r	-	r	r	33,42
___ Chipping Sparrow*	u	u	u	-	Widespread
___ Brewer's Sparrow*	c	c	c	-	30,37,39,41,43,44

___ Vesper Sparrow*	u	u	u	-	37,39,43,44,46
___ Lark Sparrow*	u	u	u	-	35,37,39,43,44,46
___ Black-throated Sparrow	r	r	-	-	43
___ Sage Sparrow*	r	r	-	-	44
___ Savannah Sparrow*	c	c	c	u	Widespread
___ Fox Sparrow*	u	u	u	r	14,13,23,39
___ Song Sparrow*	c	c	c	c	Widespread
___ Lincoln's Sparrow*	u	u	u	r	2,9,18
___ White-throated Sparrow	r	-	r	r	42
___ Harris' Sparrow	r	-	r	r	
___ White-crowned Sparrow	c	-	c	u	Widespread
___ Golden-crowned Sparrow	c	-	c	u	13,30,42
___ Dark-eyed Junco*	c	c	c	c	Widespread
___ Lapland Longspur	u	-	u	u	35,41,42
___ Snow Bunting	r	-	r	r	3,35,41,42
<b>GROSBEAKS</b>	<b>Sp</b>	<b>S</b>	<b>F</b>	<b>W</b>	
___ Black-headed Grosbeak*	c	c	u	-	Widespread
___ Lazuli Bunting*	u	u	u	-	14,18,22,30,36,39,43
<b>BLACKBIRDS, MEADOWLARKS and ORIOLES</b>					
	<b>Sp</b>	<b>S</b>	<b>F</b>	<b>W</b>	
___ Red-winged Blackbird*	a	a	a	a	Widespread
___ Tricolored Blackbird*	c	c	u	r	12,33,41,42
___ Western Meadowlark*	c	c	c	c	Widespread
___ Yellow-headed Blackbird*	c	c	c	u	3,17,31,33,41,42
___ Brewer's Blackbird*	a	a	a	c	Widespread
___ Brown-headed Cowbird*	c	c	c	r	Widespread
___ Bullock's Oriole (Northern Oriole)*	c	c	u	-	8,12,13,27,30,41,42,43
<b>FINCHES</b>	<b>Sp</b>	<b>S</b>	<b>F</b>	<b>W</b>	
___ Gray-crowned Rosy-Finch	-	-	-	r	1,2
___ Purple Finch*	u	u	u	u	9,23,27,30,39
___ Cassin's Finch*	u	u	u	u	6,9,18,24,27,43
___ House Finch*	c	c	c	c	Widespread
___ Red Crossbill*	u	u	u	u	2,7,17,18,19,24,43
___ Pine Siskin*	u	u	u	u	Widespread
___ Lesser Goldfinch*	u	u	u	u	22,27,30,39
___ American Goldfinch*	u	u	u	u	Widespread
___ Evening Grosbeak*	u	u	u	u	6,9,14,18,19,43
<b>HOUSE SPARROWS</b>	<b>Sp</b>	<b>S</b>	<b>F</b>	<b>W</b>	
___ House Sparrow*	c	c	c	c	Widespread

## Casual and Accidental Bird Species

This separate list of birds indicates species which are extremely rare to the point of **not** being observed every year in the Klamath Basin. Any observation of a species on this list should be thoroughly documented to be considered a valid sighting. Observations of birds on this list should be reported to the Klamath Basin Audubon Birding Hotline at (541) 850-3805. Species on the casual/accidental list which are highlighted with a plus symbol (+) have been observed only one to three times in the past 25 years and their reappearance in the Klamath Basin in the future should be considered problematic.

+ Red-throated Loon	Broad-tailed Hummingbird
+ Yellow-billed Loon	+ Yellow-bellied Sapsucker
Little Blue Heron	+ Least Flycatcher
Whooper Swan	+ Eastern Phoebe
+ American Black Duck	Eastern Kingbird
+Garganey	+ Bell's Vireo
+ Baikal Teal	+ Plumbeous Vireo
+ Tufted Duck	+ Hutton's Vireo
Harlequin Duck	+ Red-eyed Vireo
Gyrfalcon	+ Blue Jay
+ Black Scoter	+ Gray Catbird
Common Moorhen	+ Northern Mockingbird
+ Mountain Plover	+ Brown Thrasher
+ Wandering Tattler	+ Tennessee Warbler
Upland Sandpiper	+ Virginia's Warbler
Hudsonian Godwit	+ Northern Parula
+ Black Turnstone	+ Chestnut-sided Warbler
+ White-rumped Sandpiper	+ Bay-breasted Warbler
+ Sharp-tailed Sandpiper	+ Blackpoll Warbler
+ Curlew Sandpiper	+ Black-and-white Warbler
Stilt Sandpiper	+ American Redstart
+ Buff-breasted Sandpiper	+ Prothonotary Warbler
Ruff	+ Ovenbird
+ Red Phalarope	+ Northern Waterthrush
Parasitic Jaeger	+ Hooded Warbler
Long-tailed Jaeger	+ Black-chinned Sparrow
+ Laughing Gull	+ Lark Bunting
Heermann's Gull	Grasshopper Sparrow
Western Gull	Swamp Sparrow
+ Glaucous Gull	McCown's Longspur
Sabine's Gull	+ Chestnut-collared Longspur
Black-legged Kittiwake	+ Rose-breasted Grosbeak
Common Tern	+ Bobolink
+ Arctic Tern	+ Common Grackle
+ Band-tailed Pigeon	Great-tailed Grackle
+ Yellow-billed Cuckoo	+ Hooded Oriole
+ Snowy Owl	Pine Grosbeak
+ Boreal Owl	+ White-winged Crossbill
Costa's Hummingbird	Common Redpoll